

Certificate of Analysis

Powered by Confident Cannabis

Broadway Hemp Company

PO Box 340 Broadway, NC 27505 mike@broadwayhemp.com (919) 799-0581

Sample: 2103G2A0101.0335

Strain: n/a

Batch#:; Batch Size: g

Sample Received: 03/26/2021; Report Created: 03/30/2021

Expiration: Invalid date

Cold Shot Freeze Cream

Topical, Lotion, Other

Cannahinoide





0.02%

0.49%

Total CBD

Not Tested

Not Tested

Complete

Total THC

Mycotoxins Water Activity

Total Cannabinoids

0.52%

Carmabinolus			·	ompiete
Analyte	LOQ	Mass	Mass	
	%	%	mg/unit	
THCa	0.01	<loq< th=""><th><loq< th=""><th></th></loq<></th></loq<>	<loq< th=""><th></th></loq<>	
Δ9-ΤΗС	0.01	0.02	18.2	1
Δ8-THC	0.01	ND	ND	
THCV	0.01	NR	NR	
CBDa	0.01	0.06	65.6	
CBD	0.01	0.43	492.6	
CBDV	0.01	<loq< th=""><th><loq< th=""><th></th></loq<></th></loq<>	<loq< th=""><th></th></loq<>	
CBN	0.01	<loq< th=""><th><loq< th=""><th></th></loq<></th></loq<>	<loq< th=""><th></th></loq<>	
CBGa	0.01	<loq< th=""><th><loq< th=""><th></th></loq<></th></loq<>	<loq< th=""><th></th></loq<>	
CBG	0.01	<loq< th=""><th><loq< th=""><th></th></loq<></th></loq<>	<loq< th=""><th></th></loq<>	
CBC	0.01	0.02	18.5	1
Total		0.52	594.8	

Mycotoxins			Not	Tested
Analyte	LOQ	Limit	Mass	Status

Total THC = THCa * $0.877 + \Delta 9$ -THC; Total CBD = CBDa * 0.877 + CBD LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Griffin & Griffin Analytical Associates 129 S. Main Street Oakboro, NC (803) 322-2271

http://www.g2analytical.com

Veronica Griffin

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



This product has been tested by Griffin & Griffin Analytical using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Griffin & Griffin Analytical makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Griffin & Griffin Analytical.

President